GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No. 26 **Dated:** 07 **.03.2023**
Read the following:-

1. G.O. Ms. No. 202 of Industries & Commerce Department, dt: 06-12-2014.
2. Govt. Memo. No. 2772/Reforms/A2/2015-1, Water Resources (Reforms) Dept., dated: 30-09-2015.
3. G.O. Ms. No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
4. G.O. Ms. No.1, Industries & Commerce (P&I) Department, dt: 12.01.2022.
5. Representation dt. 04.05.2022 & 06.06.2022 from the Director, M/s Vishwa Samudra Bio Energy Pvt. Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore Dist.
6. From the C.M.Office, CMP No. 297/SPL CSTOCM/2022, dt. 19.07.2022 received on 07.09.2022.
7. Govt. Memo No. ICD01-COOR0MISC/25/Reforms/2022-1, dt. 11.05.2022 and15.09.2022
8. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE.1/AEE.2/IWS (Vishwa Samudra Bio Energy Pvt. Ltd.), dt. 11-01-2023.

****

O R D E R:

In the letter 5th read above, the Director, M/s Vishwa Samudra Bio Energy Pvt. Ltd., has put in a representation that they are planning to set up a 200 KLPD Grain based Ethanol Plant under EBP Program and Ancillary products in Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District and requested the Government to accord permission to draw 1200 KLD of water through pipelines from the nearest source for both industrial and domestic purposes.

2. In the letter 8th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report of the Chief Engineer, NTR TGP, Tirupati, has furnished a detailed proposal and

Contd..2

recommended to Government for according permission for allocation of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District subject to the following terms and conditions :

1. The drawl of 1200 KLD or 15.5967 Mcft per Year is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of 04 years or otherwise, the allotment can be reduced according to the procedure adopted by the APIIC Ltd., as per the land availability or as per actual utilization of water during the above cited period.
2. The firm may bear the royalty charges for the loss of water due to release of water from Somasila Reservoir via Nellore Barrage to Survepalli Reservoir.
3. The water will be spared on the availability of water in the Somasila Reservoir / Nellore Barrage .
4. The entire cost of construction of pump-house, pipelines excavation etc. should be borne by the user only.
5. Water meters or suitable measuring devices should be installed by the Industry at their own cost to measure the water consumed and should be made available to the Departmental authorities and the representatives of the user shall be present at the time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the Department.
6. The industry should pay water royalty charges at the existing rates as fixed by the Government. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time. In case of failure to pay water rate / royalty, the permission to draw water shall stand cancelled.
7. No field bodhi or pipeline shall be taken through or along with Government land without approval of the Competent Authority. The lease amount should be paid as fixed by the Government.
8. The Industry shall obtain the prior concurrence of concerned Departments for laying of pipelines, crossing etc., where ever necessary.
9. The Industry should make their own arrangements for supplementation of water in their premises only.
10. The Industry should make their own arrangements to dispose the treated effluents as per norms of Andhra Pradesh Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in the natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
11. The Irrigation Department reserves the right for cancellation of the

(Contd... 3)

permission without assigning any reasons thereof.

12.The Irrigation Department is no way responsible for non-supply of water due to any reason.

13.The firm must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount as fixed by the Government is to be paid by the industry.

14.The water drawn from the Survepalli Reservoir temporarily should be utilized for the purpose for which permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.

15.The Industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.

16.The Industry should follow the Revenue Board Standing Orders.

17.The Industry shall pay security deposit at 5.0% on 10 years water charges for which permission is granted.

18.The Industry shall pay one year water charges as advance before entering into agreement.

19.The Industry should make its own arrangements for summer storage during the canal closure periods.

20.M/s Vishwa Samudra Bio Energy Pvt. Ltd., Nellore has to conclude an agreement with the concerned Superintending Engineer of Water Resources Department within one year after according the approval from the Government of Andhra Pradesh or otherwise the allocation deems to be cancelled.

21.A detailed plan showing the location, the intake arrangements, details of pump-house, conveyance system etc., shall be furnished to Chief Engineer, CDO and his prior concurrence shall be obtained.

22.The Industry shall abide any other conditions laid down by the Government / Department from time to time.

23.The firm has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10 th April every year.

24.The consumptive utilization of 1200 KLD or 15.5967 Mcft per Year as required by the M/s Vishwa Samudra Bio Energy Pvt. Ltd., Nellore should not be exceeded under any circumstances.

25.Any other conditions stipulated by the Water Resources Department afterwards if found necessary, the same will be binding on the firm.

26.The permission does not confer any Riparian Right to the industry.

27.In case of the industry is getting closed, then the allocation will be automatically gets cancelled.

28.The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

29.The Industry has to lay CC (1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline, refill the pipeline with proper soils and

(contd..4)

-4-

consolidate the banks as directed by the Department.

30. The concerned Executive Engineer will be responsible for enforcing the conditions.

31. The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

3. After careful examination of the proposal, Government hereby accord permission to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District, for drawl of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District **considering temporarily,** until the APIIC supplies water to a tune of 4.55 TMC for different nodes as per the orders issued in the G.O. 4th read above to the existing and upcoming industries, those who have purchased the land with APIIC Ltd., subject to the terms & conditions as mentioned at para (2) above.

4. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of SPSR Nellore District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To
Government

O/C

To
The Engineer-in-Chief (Irrigation), Water Resources Department, Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, SPSR Nellore District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Director, M/s Vishwa Samudra Bio Energy Private Ltd., D.No. 54-15-18/5, RS No.448/1, Near Pride Hotel, Ring Road, Vijayawada, Krishna.

Copy to:
The VC& MD, APIIC Ltd., Mangalagiri, Guntur Dist.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. to the Prl. Secretary to Govt., Water Resources Department.
The P.S. to the Spl. Chief Secretary to Govt., I&C Department.
SF/SC.

WATER RESOURCES DEPARTMENT Despatch A.P. SECRETARIAT, VELAGAPUDI 10/3/23

(Contd...5)

//FORWARDED::BY ORDER//

P.K. Ramasamy

SECTION OFFICER

Signed by Shashi Bhushan Kumar I A S
Date: 06-03-2023 15:55:17
Reason: Approved

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Water Resources Department – Allocation of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.26 **Dated: 07.03.2023**

Read the following:-

1. G.O. Ms. No. 202 of Industries & Commerce Department, dt: 06-12-2014.
2. Govt. Memo. No. 2772/Reforms/A2/2015-1, Water Resources (Reforms) Dept., dated: 30-09-2015.
3. G.O. Ms. No. 43, Water Resources (Reforms) Department, dt. 15-05-2019.
4. G.O. Ms. No.1, Industries & Commerce (P&I) Department, dt: 12.01.2022.
5. Representation dt. 04.05.2022 & 06.06.2022 from the Director, M/s Vishwa Samudra Bio Energy Pvt. Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore Dist.
6. From the C.M.Office, CMP No. 297/SPL CSTOCM/2022, dt. 19.07.2022 received on 07.09.2022.
7. Govt. Memo No. ICD01-COOR0MISC/25/Reforms/2022-1, dt. 11.05.2022 and15.09.2022
8. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE.1/AEE.2/IWS (Vishwa Samudra Bio Energy Pvt. Ltd.), dt. 11-01-2023.

****

O R D E R:

In the letter 5th read above, the Director, M/s Vishwa Samudra Bio Energy Pvt. Ltd., has put in a representation that they are planning to set up a 200 KLPD Grain based Ethanol Plant under EBP Program and Ancillary products in Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District and requested the Government to accord permission to draw 1200 KLD of water through pipelines from the nearest source for both industrial and domestic purposes.

2. In the letter 8th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report of the Chief Engineer, NTR TGP, Tirupati, has furnished a detailed proposal and recommended to Government for according permission for allocation of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District subject to the following terms and conditions :

1. The drawl of 1200 KLD or 15.5967 Mcft per Year is valid only when the industry utilizes the above required quantity of water in any one of the financial year in a continuous span of 04 years or otherwise, the allotment can be reduced according to the procedure adopted by the APIIC Ltd., as per the land availability or as per actual utilization of water during the above cited period.
2. The firm may bear the royalty charges for the loss of water due to release of water from Somasila Reservoir via Nellore Barrage to Survepalli Reservoir.
3. The water will be spared on the availability of water in the Somasila Reservoir / Nellore Barrage.
4. The entire cost of construction of pump-house, pipelines excavation etc. should be borne by the user only.
5. Water meters or suitable measuring devices should be installed by the Industry at their own cost to measure the water consumed and should be made available to the Departmental authorities and the representatives of the user shall be present at the time of inspection. The water meter shall be periodically

calibrated and kept sealed. The period of calibration will be specified by the Department.

6. The industry should pay water royalty charges at the existing rates as fixed by the Government. The water royalty charges are likely to be revised by the Government from time to time and the industry shall pay the revised rates as fixed by the Government from time to time. In case of failure to pay water rate / royalty, the permission to draw water shall stand cancelled.
7. No field bodhi or pipeline shall be taken through or along with Government land without approval of the Competent Authority. The lease amount should be paid as fixed by the Government.
8. The Industry shall obtain the prior concurrence of concerned Departments for laying of pipelines, crossing etc., where ever necessary.
9. The Industry should make their own arrangements for supplementation of water in their premises only.
10. The Industry should make their own arrangements to dispose the treated effluents as per norms of Andhra Pradesh Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in the natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
11. The Irrigation Department reserves the right for cancellation of the permission without assigning any reasons thereof.
12. The Irrigation Department is no way responsible for non-supply of water due to any reason.
13. The firm must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount as fixed by the Government is to be paid by the industry.
14. The water drawn from the Survepalli Reservoir temporarily should be utilized for the purpose for which permission is granted and any misuse in this regard will entail cancellation for the permission without any notice and the firm is liable for imposition of penalty.
15. The Industry must strengthen the bund/canal/river margin 100 Mts or as decided by the Water Resources Department, on either side of the proposed off take point to avoid slips, erosion of banks and to protect existing margins as directed by the Department.
16. The Industry should follow the Revenue Board Standing Orders.
17. The Industry shall pay security deposit at 5.0% on 10 years water charges for which permission is granted.
18. The Industry shall pay one year water charges as advance before entering into agreement.
19. The Industry should make its own arrangements for summer storage during the canal closure periods.
20. M/s Vishwa Samudra Bio Energy Pvt. Ltd., Nellore has to conclude an agreement with the concerned Superintending Engineer of Water Resources Department within one year after according the approval from the Government of Andhra Pradesh or otherwise the allocation deems to be cancelled.
21. A detailed plan showing the location, the intake arrangements, details of pump-house, conveyance system etc., shall be furnished to Chief Engineer, CDO and his prior concurrence shall be obtained.
22. The Industry shall abide any other conditions laid down by the Government / Department from time to time.
23. The firm has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10 th April every year.
24. The consumptive utilization of 1200 KLD or 15.5967 Mcft per Year as required by the M/s Vishwa Samudra Bio Energy Pvt. Ltd., Nellore should not be exceeded under any circumstances.
25. Any other conditions stipulated by the Water Resources Department afterwards if found necessary, the same will be binding on the firm.
26. The permission does not confer any Riparian Right to the industry.
27. In case of the industry is getting closed, then the allocation will be automatically gets cancelled.
28. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

29. The Industry has to lay CC (1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline, refill the pipeline with proper soils and consolidate the banks as directed by the Department.
30. The concerned Executive Engineer will be responsible for enforcing the conditions.
31. The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

3. After careful examination of the proposal, Government hereby accord permission to M/s Vishwa Samudra Bio Energy Private Ltd., Sarvepalli Bit II (V), Venkatachalam (M), SPSR Nellore District, for drawl of 1200 KLD or 15.5967 Mcft of water per Year from Survepalli Reservoir, SPSR Nellore District **considering temporarily,** until the APIIC supplies water to a tune of 4.55 TMC for different nodes as per the orders issued in the G.O. 4th read above to the existing and upcoming industries, those who have purchased the land with APIIC Ltd., subject to the terms & conditions as mentioned at para (2) above.

4. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of SPSR Nellore District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, SPSR Nellore District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
The Director, M/s Vishwa Samudra Bio Energy Private Ltd., D.No.
54-15-18/5, RS No.448/1, Near Pride Hotel, Ring Road,
Vijayawada, Krishna.

Copy to:
The VC& MD, APIIC Ltd., Mangalagiri, Guntur Dist.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. to the Prl. Secretary to Govt., Water Resources Department.
The P.S. to the Spl. Chief Secretary to Govt., I&C Department.
SF/SC.

//FORWARDED::BY ORDER//

P.R. Shamsalee

SECTION OFFICER